

L Number	Hits	Search Text	DB	Time stamp
1	2	("4897533").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:40
4	1	(request\$5 adj2 command\$5) with (billing\$5 with account\$5 with servic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 16:29
6	4	("5933675").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 16:31
5	5	"5933675"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 16:30
7	4	("5933675").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 16:33
8	5	((("6198542") or ("6507409")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 16:35
9	2	("5270775").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 16:35
12	3318	(358/1.13, 358/1.1, 358/1.18).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:15
13	497	(print\$5 adj2 server\$5) same (separat\$5 segregat\$5 allocat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:15
14	73	((358/1.13, 358/1.1, 358/1.18).ccls.) and ((print\$5 adj2 server\$5) same (separat\$5 segregat\$5 allocat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:16
15	36	((358/1.13, 358/1.1, 358/1.18).ccls.) and ((print\$5 adj2 server\$5) same (separat\$5 segregat\$5 allocat\$5))) and &ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:16
-	2	("6559971").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:21
-	3	("6181436").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:32
-	0	(nic network adj2 interface adj2 controller) with (separat\$5 segrata\$5 divide\$5) same (control adj2 data with job adj2 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:34

-	1	(nic network adj2 interface adj2 controller) same (separat\$5 segrata\$5 divide\$5) same (control adj2 data with job adj2 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:41
-	100	(network adj2 interface adj2 controller) same (separat\$5 segrata\$5 divide\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:37
-	3	(network adj2 interface adj2 controller) same (separat\$5 segrata\$5 divide\$5) same print	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:40
-	11	(separat\$5 segrata\$5 divide\$5) same (control adj2 data with job adj2 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:46
-	0	(network adj2 interface adj2 controller\$2 NIC\$2) with (segrega\$5 separa\$5 divid\$5 differentiat\$5) same (print\$5 adj2 job with control\$5 adj2 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:48
-	3	"6438643"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:54
-	2	(print\$5 adj2 server\$5) same (separat\$5 segregat\$5 allocat\$5) same (print\$5 adj2 job\$5 with (control adj2 data diagnostic adj2 data status\$5 adj2 report\$5 render\$5 adj2 data\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:58
-	0	(print\$5 adj2 server\$5) same (separat\$5 segregat\$5 allocat\$5) same (print\$5 adj2 job\$5 with control\$5 adj2 parameter\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:58
-	140	(print\$5 adj2 server\$5) same (separat\$5 segregat\$5 allocat\$5) same (print\$5 adj2 job\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:00
-	136	((print\$5 adj2 server\$5) same (separat\$5 segregat\$5 allocat\$5) same (print\$5 adj2 job\$5)) and @ad<200012006	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:00
-	33	(print\$5 adj2 server\$5) with (separat\$5 segregat\$5 allocat\$5) with (print\$5 adj2 job\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:06
-	33	((print\$5 adj2 server\$5) with (separat\$5 segregat\$5 allocat\$5) with (print\$5 adj2 job\$5)) and @ad<200012006	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:01
-	17	((print\$5 adj2 server\$5) with (separat\$5 segregat\$5 allocat\$5) with (print\$5 adj2 job\$5)) and @ad<20001206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:02
-	0	(rout\$4 adj2 print\$5 adj2 job\$5 with printer\$5) same (control\$5 adj2 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:06

-	2	(server\$5) with (separat\$5 segregat\$5 allocat\$5) with (print\$5 adj2 job\$5) with (control adj2 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:08
-	1	(server\$5 with (separat\$5 alter\$5 segregat\$5)) same (print\$5 adj2 (job\$2 data\$5) with (control\$5 adj2 (data\$5 parameter\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:09
-	3	("6335795").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:23
-	2	("6348971").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:45
-	0	(printer\$5 adj2 driver\$5) with (separat\$5 segregat\$5) with (print\$5 adj2 job\$5 with control adj2 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:26
-	10	(printer\$5 adj2 driver\$5) with (separat\$5 segregat\$5) with (print\$5 adj2 job\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:27
-	2	(print\$5 adj2 server\$5) with (segregat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:28
-	19	(print\$5 adj2 server\$5) with (separat\$5) with (print adj2 job\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:34
-	2	segregat\$5 with job adj2 data with control adj2 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:34
-	2	("5845057").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:46
-	3	("6335795").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:46
-	2	("6452692").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 17:55
-	0	(separat\$5 with (control adj2 data with from with job adj2 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:00
-	4	(separat\$5 with (control adj2 data with job adj2 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:00

-	24	separat\$5 same (print\$5 adj2 job\$5 job\$5 adj2 data) same (control adj2 data control adj2 parameter\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:02
-	9	((separat\$5 same (print\$5 adj2 job\$5 job\$5 adj2 data) same (control adj2 data control adj2 parameter\$5)) and @ad<20001206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:08
-	42	((server\$5 with determin\$5 with (control adj2 command\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:08
-	16	((server\$5 with determin\$5 with (control adj2 command\$5))) and @ad<20001206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:12
-	43	((server\$5 with determin\$5 with type\$5 with data\$5) same print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:12
-	10	((server\$5 with determin\$5 with type\$5 with data\$5) same print\$5) and @ad<20001206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:24
-	2	"20020067497"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:22
-	298	((server\$5 driver\$5) with (separat\$5 segregat\$5) same (control adj2 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:23
-	15	((server\$5 driver\$5) with (separat\$5 segregat\$5) same (control adj2 data\$5) same print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:23
-	6	((server\$5 driver\$5) with (separat\$5 segregat\$5) same (control adj2 data\$5) same print\$5) and @ad<20001206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:27
-	15	((separat\$5 with (attribut\$5 with print\$5 adj2 job))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:26
-	30	((separat\$5 with (attribut\$5 with print\$5 adj2 (job\$2 data\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:27
-	3	((separat\$5 with (attribut\$5 with print\$5 adj2 job))) and @ad<20001206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:29
-	10	pdl\$2 with non-pdl\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:48

-	4	(separat\$5 segregat\$5) with (print\$5 ad2 (request\$5 job\$5 data\$5 imag\$5)) with (printer\$5 adj2 (parameter\$5 availabilit\$5 status\$5)) same (print\$5 adj2 (server\$5 driver\$5 program\$5 software\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:52
-	3	(server\$5 adj2 (separat\$5 segregat\$5) with (print\$5 adj2 request\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:53
-	4	(server\$5 adj2 (rout\$3) with (print\$5 adj2 request\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:55
-	19	print\$5 adj2 server\$5 with status\$5 adj2 request\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 11:07
-	0	(print\$5 adj2 server\$5) with (separat\$5 segregat\$5 alter\$5 divid\$5) with (status\$5 adj2 request\$5 with print\$5 adj2 request\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 11:08
-	11	(print\$5 adj2 server\$5) with (separat\$5 segregat\$5 alter\$5 divid\$5) with (status\$5 adj2 request\$5 print\$5 adj2 request\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 11:08